

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number : 6,960,043 B2
Issued : November 1, 2005
Name of Patentee : Deonarine
Title of Invention : METHOD AND APPARATUS TO EXTEND AND
RETRACT A TEMPERATURE INDICATOR STICK

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR
OFFICE'S MISTAKE (37 CFR 1.322)**

1. It is noted that errors appear in this patent of a clerical nature or characterized as more fully described below and would not constitute new matter or would not require re-examination. A Certificate of Correction is requested.

2. Attached hereto in duplicate is Form PTO-1050 with at least one copy being suitable for printing.


3. The errors to be corrected are as follows:

Col. 6, line 21 (Claim 11), delete "far" and substitute therefore -- for --.

4. Please send the Certificate to:

Timothy J. Ziolkowski
Ziolkowski Patent Solutions Group, SC
14135 N. Cedarburg Rd.
Mequon, WI 53097-1416

Date: 12/20/05



Timothy J. Ziolkowski
Registration No. 38,368
Telephone: (262) 376-5170
Facsimile: (262) 376-2994

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,960,043 B2
APPLICATION NO. : 09/682,780
ISSUE DATE : November 1, 2005
INVENTOR(S) : Deonarine

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 6, line 21 (Claim 11), delete "far" and substitute therefore -- for --.

(Also Form PTO-1050)

MAILING ADDRESS OF SENDER:

Timothy J. Ziolkowski
Ziolkowski Patent Solutions Group, SC
14135 N. Cedarburg Rd.
Mequon, WI 53097-1416

PATENT NO: 6,960,043 B2

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,960,043 B2
APPLICATION NO. : 09/682,780
ISSUE DATE : November 1, 2005
INVENTOR(S) : Deonarine

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 6, line 21 (Claim 11), delete "far" and substitute therefore -- for --.

(Also Form PTO-1050)

MAILING ADDRESS OF SENDER:

Timothy J. Ziolkowski
Ziolkowski Patent Solutions Group, SC
14135 N. Cedarburg Rd.
Mequon, WI 53097-1416

PATENT NO: 6,960,043 B2

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450